## AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

- 1-16. (Canceled)
- 17. (Currently Amended) A liquid complete nutritional composition suitable for feeding cachectic patients and having an energy density of at least 1.45 kcal/ml (at least 6.06 kJ/ml) and a viscosity below 50 mPa.s at a shear rate of 100 s<sup>-1</sup> and a temperature of 20° C, comprising:
- (a) a carbohydrate fraction in an amount of 17-27 g per 100 ml (0.68-1.08 keal/ml) comprising 15-45 wt.% of trehalose;
- (b) a protein fraction comprising intact protein in an amount of 8.5-10 8.5-12 g per 100 ml intact protein (0.34-0.40 keal/ml); and
  - (c) a lipid fraction,

wherein at least 70 wt.% of the protein fraction is obtained from demineralized milk, and wherein the intact protein comprises between 25 and 37 wt.% of the protein fraction comprises whey proteins.

18. (Previously Presented) The liquid composition according to claim 17, in which the demineralizing is performed by ultrafiltration.

19-20. (Canceled)

- 21. (Previously Presented) The liquid composition according to claim 17, in which the protein fraction comprises at least 1.0 wt.% of cysteine residues.
- 22. (Previously Presented) The liquid composition according to claim 17 which further comprises 0.5-6 g fiber per 100 ml.
- 23. (Currently amended) The liquid composition according to claim 17, in which the protein fraction <u>comprises</u> is in an amount of 8.5-12 8.5-10 g per 100 ml <u>intact</u> protein.

- 24. (Currently amended) The liquid composition according to claim [[23]] 17, in which the protein fraction comprises is in an amount of 8.7-12 g per 100 ml intact protein.
- 25. (Previously Presented) The liquid composition according to claim 17, in which the protein fraction comprises at least 8.6 wt.% of lysine residues, at least 2.5 wt.% of methionine residues and at least 0.5 wt.% of cysteine residues.
- 26. (Previously Presented) The liquid composition according to claim 17, in which the intact protein comprises casein.
- 27. (Previously Presented) The liquid composition according to claim 26, which comprises 60-75 wt.% of casein.
  - 28. (Canceled)
- 29. (Currently Amended) The liquid composition according to claim 17, in which the lipid fraction is in an amount of 5.0-7.0 g per 100 ml (0.45-0.63 keal/ml).
  - 30. (Canceled)
- 31. (Previously Presented) The liquid composition according to claim 17, in which the carbohydrate fraction comprises 18-23.5 g per 100 ml of digestible carbohydrates.
- 32. (Withdrawn) A liquid complete nutritional composition suitable for feeding cachectic patients and having an energy density of at least 1.45 kcal/ml (at least 6.06 kJ/ml), comprising:
- (a) a carbohydrate fraction in an amount of 17-27 g per 100 ml (0.68-1.08 kcal/ml);
- (b) an intact protein fraction in an amount of 8.2-11 g per 100 ml (0.31-0.48 kcal/ml); and
  - (c) a lipid fraction;

wherein at least 70 wt.% of the protein fraction is obtained by demineralising milk, and wherein the intact protein fraction comprises less than 5 wt.% of free amino acids and at least 8.2 g of intact protein per 100 ml.

- 33. (Withdrawn) The liquid composition according to claim 32, in which the protein fraction comprises at least 1.0 wt.% of cysteine residues.
- 34. (Withdrawn) The liquid composition according to claim 32 which further comprises 0.5-6 g fibre per 100 ml.
- 35. (Withdrawn) The liquid composition according to claim 32, in which the protein fraction is in an amount of 8.5-12 g per 100 ml.
- 36. (Withdrawn) The liquid composition according to claim 35, in which the protein fraction is in an amount of 8.7-12 g per 100 ml.
- 37. (Withdrawn) The liquid composition according to claim 32, in which the protein fraction comprises at least 8.6 wt.% of lysine residues, at least 2.5 wt.% of methionine residues and at least 0.5 wt.% of cysteine residues.
- 38. (Withdrawn) The liquid composition according to claim 32, in which the intact protein is casein.
- 39. (Withdrawn) The liquid composition according to claim 38, which comprises 60-90 wt.% casein.
- 40. (Withdrawn) The liquid composition according to claim 39, which comprises 65-78 wt.% casein.
- 41. (Withdrawn) The liquid composition according to claim 29, in which the lipid fraction is in an amount of 5.0-7.0 g per 100 ml (0.45-0.63 kcal/ml).
- 42. (Withdrawn) The liquid composition according to claim 29 having a viscosity below 50 mPa.s at a shear rate of 100 s-1 and a temperature of 20°C.
- 43. (Withdrawn) The liquid composition according to claim 29, in which the carbohydrate fraction comprises 18-23.5 g per 100 ml of digestible carbohydrates.
- 44. (Withdrawn) A liquid complete nutritional composition suitable for feeding cachectic patients and having an energy density of at least 1.45 kcal/ml (at least 6.06 kJ/ml), comprising:

- (a) a carbohydrate fraction in an amount of 17-27 g per 100 ml (0.68-1.0 kcal/ml) further comprising:
  - (i) 0-35 wt.% of sucrose;
  - (ii) 15-45 wt.% of non-reducing mono-, di- and/or trisaccharides;
  - (iii) 5-50 wt.% of mono- and disaccharides; and
  - (iv) 5-40 wt.% of trisaccharides and higher saccharides;
  - (b) a protein fraction; and
  - (c) a lipid fraction.
- 45. (Withdrawn) A packaged food product comprising a unit package of between 5 and 150 ml of a liquid food product having an energy density of at least 1.45 kcal/ml and comprising at least 7.6 g intact protein per 100 ml, carbohydrates, fats, and optionally, vitamins.
- 46. (Withdrawn) A packaged food product comprising a unit package of between 5 and 250 ml of a liquid complete nutritional composition suitable for feeding cachectic patients and having an energy density of at least 1.45 kcal/ml (at least 6.06 kJ/ml), comprising:
- (a) a carbohydrate fraction in an amount of 17-27 g per 100 ml (0.68-1.08 kcal/ml);
- (b) an intact protein fraction in an amount of 8.2-11 g per 100 ml (0.31-0.48 kcal/ml); and
  - (c) a lipid fraction,

wherein at least 70 wt.% of the protein fraction is obtained by demineralising milk, and wherein the intact protein fraction comprises between 25 and 37 wt.% of whey proteins and at least 8.2 g of intact protein per 100 ml.

- 47. (Withdrawn) A packaged food product comprising a unit package of between 5 and 250 ml of a liquid complete nutritional composition suitable for feeding cachectic patients and having an energy density of at least 1.45 kcal/ml (at least 6.06 kJ/ml), comprising:
- (a) a carbohydrate fraction in an amount of 17-27 g per 100 ml (0.68-1.08 kcal/ml);

- (b) an intact protein fraction in an amount of 8.2-11 g per 100 ml (0.31-0.48 kcal/ml); and
  - (c) a lipid fraction,

wherein at least 70 wt.% of the protein fraction is obtained by demineralising milk, and wherein the intact protein fraction comprises less than 5 wt.% of free amino acids and at least 8.2 g of intact protein per 100 ml.

- 48. (Withdrawn) A process for preparing a liquid product, comprising
- (a) dissolving in an aqueous solution a dry demineralised milk product to obtain a liquid protein suspension;
  - (b) adjusting the suspension to a viscosity value of below 50 mPa.s at 100 s-1; and
- (c) mixing a portion of the suspension of (b) with, in any order, carbohydrates, fats, and water.
- 49. (Currently Amended) A powder, which upon reconstitution with water, provides a liquid complete nutritional composition suitable for feeding eacheetic patients and having an energy density of at least 1.45 kcal/ml (at least 6.06 kJ/ml) and a viscosity below 50 mPa.s at a shear rate of 100 s<sup>-1</sup> and a temperature of 20° C, comprising:
- (a) a carbohydrate fraction in an amount of 17-27 g per 100 ml (0.68-1.08 keal/ml) comprising 15-45 wt.% of trehalose;
- (b) a protein fraction comprising intact protein in an amount of 8.5-10 8.5-12 g per 100 ml intact protein (0.34-0.40 keal/ml); and
  - (c) a lipid fraction,

wherein at least 70 wt.% of the protein fraction is obtained by demineralizing milk, the intact protein fraction comprises

wherein between 25 and 37 wt.% of <u>the protein fraction comprises</u> whey proteins, and the carbohydrate fraction comprises 15-45 wt.% of trehalose.

50. (New) The liquid composition according to claim 17, in which the protein fraction is in an amount of 10-12 g per 100 ml.